

VIZAG GENERAL CARGO BERTH PRIVATE LIMITED

Vedanta, Administrative Building, Eastern Stack Yard, Visakhapatnam Port, Visakhapatnam-530035 Andhra Pradesh, India CIN: U35100TN2010PTC075408

Tel: 0891-279 5696, Fax: 0891-279 5698

Website: www.vgcb.co.in

Ref. No. VGCBPL/HSE/PCB/BMW/Form-IV/2021

Date: 30th Jun 2022

To,
The Member Secretary,
Andhra Pradesh Pollution Control Board,
D.No 33-26-14 D/2,
Near Sunrise Hospital, Pushpa Hotel centre,
Chalamvari Street, Kasturibaipet,
Vijayawada-520008.

Sub: Bio-medical waste Annual Report Form-IV for the period of January 2021 to December 2021

Ref: Vide Consent Order No.PCB/ROVSP/BMW/HCE-1028/2021 - Dated 09/09/2021

Sir,

As per the requirement of rule 13 of Bio-Medical Waste Management Rules-2016 and condition 10 Schedule-A of above-mentioned order, we are herewith submitting annual report Form-IV for your kind consideration and records.

Yours faithfully,

For Vizag General Cargo Berth Private Limited.

Prasanna Kumar,

Chief Environment Manager.

Enclosure: As above

Copy to:

1. JCEE, APPCB, Zonal Office, Visakhapatnam

2. EE, APPCB, Regional Office, Visakhapatnam

Visakhapatnam

Form-IV

(See rule 13)

ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

SI.No.	Particulars	T	
			NA/- Vissa Caranal Carana
1.	Particulars of the Occupier	:	M/s. Vizag General Cargo Berth Pvt Ltd.
	(i) Name of the authorized person (occupier	:	Mr. C Sateesh Kumar,
	or operator of facility)		Chief Executive Officer.
	(ii) Name of HCF or CBMWTF	:	M/s. Vizag General Cargo Berth Pvt Ltd.
	(iii) Address for Correspondence	1:	Vizag General Cargo Berth Pvt Ltd.
			Vedanta Administrative Building,
	(,) () ()		Visakhapatnam Port, Visakhapatnam-35
	(iv) Address of Facility	:	Vizag General Cargo Berth Pvt Ltd.
			Vedanta Administrative Building,
			Visakhapatnam Port, Visakhapatnam-35
	(v)Tel No, Fax. No	:	Tel:0891-2795696
			Fax: Not Available
	(vi) E-mail ID	:	CSateesh.Kumar@vedanta.co.in
	(vii) URL of Website	:	www.vgcb.co.in
	(viii) GPS coordinates of HCF or CBMWTF	:	17°41'43.8"N, 83°17'23.3"E
	(ix) Ownership of HCF or CBMWTF	:	Private
	(x) Status of Authorization under the Bio-	:	Authorization No.:
	Medical Waste (Management and		PCB/ROVSP/BMW/HCE- 1028/2021 dt
	Handling) Rules		09.09.2021- One Time Authorization
	(xi) Status of Consents under Water Act and Air Act	:	Valid up to: 31.07.2025
2.	Type of Health care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: NA
	(ii) Non-bedded hospital	:	Occupational Health Centre
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)		
	(iii) License number and its date of expiry		NA
3.	Details of CBMWTF	:	NA
	(i) Number healthcare facilities covered by CBMWTF	:	
	(ii) No of beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	Kg/day
4.	Quantity of waste generated or disposed in	:	Yellow Category: Nil
	Kg per annum (on monthly average basis)		Red Category: Nil
			White: Nil

7	Details trainings conducted on BMW		1
	(i) Number of trainings		1
	conducted on BMW		
	Management.		
	(ii) Number of personnel trained		1
	(iii) Number of personnel trained		0
	at the time of induction		
	(iv) Number of personnel not		0
	undergone any training so far		
	(v)Whether standard manual for		Yes
	training is available?		
	(vi) Any other information		Nil
8	Details of the accident occurred		Nil
	during the year		
	(i) Number of Accidents occurred		0
	(ii) Number of the persons		0
	affected		
	(iii) Remedial Action taken		0
	(Please attach details if any)		Nil
9	(iv) Any Fatality occurred, details. Are you meeting the standards		NA
9	of air Pollution from the		
	incinerator? How many times in		
	last year could not met the		
	standards?		
	Details of continuous online		NA
	emission monitoring systems		
	installed		
10	Liquid waste generated and		NA
	treatment methods in place.		
	How many times you have not		
	met the standards in a year?		
11	Is the disinfection method or		NA
	sterilization meeting the log 4		
	standards? How many times you		
	have not met the standards in a		
- 10	year?		
12	Any other relevant information	1:	Nil

Certified that the above report is for the period from Jan-2021 to Dec-2021

Name and Signature of the Head of the Industry

Date: Visakhapatnam Place: 30-Jun-2022