

Ref. No. VGCBPL/HSE/PCB/BMW/Form-IV/2023

VIZAG GENERAL CARGO BERTH PRIVATE LIMITED

Vedanta Administrative Building, Eastern Stack Yard, Visakhapatnam Port, Visakhapatnam-530035 Andhra Pradesh, India CIN: U35100TN2010PTC075408

Tel: 0891-2795696 Website: www.vgcb.co.in

Date: 26th Jun 2024

To
The Member Secretary,
Andhra Pradesh Pollution Control Board,
Paryavaran Bhavan, Head Office,
Opp. JAMAC Housing Complex
APIIC Colony Road, Gurunanak Colony,
Vijayawada – 520007

0/0

Sub: Bio-Medical Waste Annual Report Form-IV for the period of January 2023 to December 2023

Ref: Vide Consent Order PCB/ROVSP/BMW/HCE-1028/2021 dt 09.09.2021

Sir,

As per the requirement of Condition 10 (Schedule-A) of above-mentioned consent order, we are herewith submitting Form-IV.

Kindly consider the same for your records.

Visakhapatnam

Yours faithfully,

For Vizag General Cargo Berth Pyt. Ltd.

Prasanna Kumar, Chief Environment Officer.

Enclosure: As above

Copy to: JCEE, APPCB, Zonal Office, Visakhapatnam EE, APPCB, Regional Office, Visakhapatnam



Regd. Office: SIPCOT Industrial Complex, Madurai Bypass Road, T. V. Puram P.O., Tuticorin-628002, Tamilnadu, India

Form-IV

(See rule 13)

ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl.No.	Particulars	1		
1.	Particulars of the Occupier		M/s. Vizag General Cargo Berth Pvt Ltd.	
	(i) Name of the authorized person (occupier	:	Mr. C Sateesh Kumar,	
	or operator of facility)		Chief Executive Officer.	
	(ii) Name of HCF or CBMWTF	:	M/s. Vizag General Cargo Berth Pvt Ltd.	
	(iii) Address for Correspondence		Vizag General Cargo Berth Pvt Ltd.	
			Vedanta Administrative Building,	
	1		Visakhapatnam Port, Visakhapatnam-35.	
	(iv) Address of Facility		Vizag General Cargo Berth Pvt Ltd.	
	·		Vedanta Administrative Building,	
			Visakhapatnam Port, Visakhapatnam-35.	
	(v)Tel No, Fax. No		Tel:0891-2795696	
			Fax: Not Available	
	(vi) E-mail ID	:	CSateesh.Kumar@Vedanta.co.in	
	(vii) URL of Website	:	www.vgcb.co.in	
	(viii) GPS coordinates of HCF or CBMWTF	:	17°41'43.8"N, 83°17'23.3"E	
	(ix) Ownership of HCF or CBMWTF	1:	Private	
	(x) Status of Authorization under the Bio-	:	Authorization No.:	
	Medical Waste (Management and		PCB/ROVSP/BMW/HCE- 1028/2021 dt	
	Handling) Rules		09.09.2021	
	(xi) Status of Consents under Water Act and Air Act	:	Valid up to: 31.07.2025	
2.	Type of Health care Facility	┼		
*	(i) Bedded Hospital	 	No. of Beds: NA	
	(r)		No. of beds. NA	
	(ii)Non-bedded hospital	<u> </u> :	Occupational Health Centre	
	(Clinic or Blood Bank or Clinical Laboratory			
	or Research Institute or Veterinary			
	Hospital or any other)			
	(iii) License number and its date of expiry		NA	
3.	Details of CBMWTF]:	NA	
	(i) Number healthcare facilities covered by	:		
ļ	CBMWTF	<u> </u>		
	(ii)No of beds covered by CBMWTF	:		
	(iii) Installed treatment and disposal capacity	:	NA	
	of CBMWTF:			
	(iv) Quantity of biomedical waste treated or	:	NA	
	disposed by CBMWTF			
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)		Yellow Category: Nil	
			Red Category: Nil	
			White: Nil	

Schwinzer: Public, (C4)

			<u> </u>	Category: Ni					
_	Details full Co			ral Solid Wa					
5	Details of the Storage, treatment, transportation, processing and Disposal Facility								
	(i) Details of the on-site storage	;	Size: 178*280 mm						
	facility		Capacity: 5 Ltrs						
			Provision of on-site storage: (cold storage or any						
			other provision)-Bins						
	(ii) Disposal facilities		Type of treatme		Capacity	Quantity			
			equipment	Units	Kg/day	treated o disposed in kg per annum			
			Incinerators	Nil		****			
			Plasma Pyrolysis	Nil					
			Autoclaves	Nil					
			Microwave	Nil					
			Hydroclave	Nil	1	******			
			Shredder	Nil		***************************************			
			Needle tip cutte	r Nil					
			or destroyer						
			Sharps	Nil					
			encapsulation of	r					
			concrete pit						
			Deep burial pits:	: Nil					
			Chemical	Nil					
			disinfection						
			Any other	Nil					
			treatment						
			equipment	<u> </u>					
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum	•	Red Category (lil	ke plastic, gl	ass etc.)-N/				
	(iv) No of vehicles used for	:	NA sevobiole en		78 AVA/TE				
	collection and transportation of biomedical waste	•	INA as venicle an	anged by Cr	ged by CBMWTF				
	(v)Details of incineration ash			Quantity	Wh	ere			
	and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	4444.4		generated	dis	oosed			
			Incineration	Nil	Nil				
			Ash	Nil	Nil				
			ETP Sludge	Nil	Nil				
	(vi) Name of the common Blo-	:	M/s. Maridi Eco	Industries (A	Andhra) Pvt	Ltd.			
	Medical Waste Treatment					۵			
	Facility Operator through								
	which wastes are disposed of			·····					
	(vii) List of member HCF not		NA						
	handed over bio-medical								
	waste		\ A ! !						
,	Do you have bio-medical waste		Yes, Attached MOM.						
	management committee? If yes, attach minutes of the meetings								
1									

7	Details trainings conducted on BMW		1
	(i) Number of trainings conducted on BMW		1
	Management.		7
	(ii) Number of personnel trained		1
	(iii) Number of personnel trained at the time of induction		0
	(iv) Number of personnel not undergone any training so far		0
	(v) Whether standard manual for training is available?		Yes
	(vi) Any other information		Nil
8	Details of the accident occurred during the year		Nil
0	(i) Number of Accidents occurred		0
	(ii) Number of the persons affected		0
	(iii) Remedial Action taken (Please attach details if any)		0
	(iv) Any Fatality occurred, details.		Nil
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		NA
	Details of continuous online emission monitoring systems installed		NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		NA
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		NA
12	Any other relevant information	:	Nil

Certified that the above report is for the period from Jan-2023 to Dec-2023

Name and Signature of the Head

Date: Visakhapatnam Place: 26-Jun-2024